

Path	Dateiname	Zeile	Statement
/templates	admin_data_table.php	521	"DELETE FROM "+table;
/templates	admin_page_management.php	523	"DELETE FROM "+table;
/templates	admin_user_management.php	516	"DELETE FROM "+table+" WHERE "+ columns[0]['name']+" = "+para
/classes/db/	SQLQuery.php	97	\$function.(''.implode(",","",\$arr).')'. ' AS \''. \$alias. \'"
/classes/db/	SQLQuery.php	134	\$t.''. \$f.' AS ""'. \$t.''. \$f.'""
/classes/sql	SQLQuery.php	98	\$t.''. \$f.' AS ""'. \$t.''. \$f.'""
/classes/db/	SQLQuery.php	75	\$temp.' AS ""'. \$table.''. \$field.'""
/classes/sql	SQLQuery.php	62	\$temp.' AS ""'. \$table.''. \$field.'""
/classes/sql	SQLQuery.php	118	%s %s FROM %s %s;" , \$this->typeToString(), \$this->fieldsToString(), \$this->tablesToString(), \$this->filtersToString()
/classes/db/	DasenseSelect.php	63	(60 /"'. \$minutes.") * HOUR(unixtimestamp) + FLOOR(MINUTE(unixtimestamp)) /"'. \$minutes.")
/classes	getData.php	73	(\$qtype != " && \$query != ") ? "WHERE \$qtype = '\$query'" : ""
/wsdl	index.php	213	((locations.longitude BETWEEN ? AND ?) AND (locations.latitude BETWEEN ? AND ?))
/wsdl/backup	index.php	183	((locations.longitude BETWEEN ? AND ?) AND (locations.latitude BETWEEN ? AND ?))
/classes/db/	SQLQuery.php	57	(. \$sqlStatement.") AS " . \$alias
/wsdl	index.php	202	(data.timestamp BETWEEN ? AND ?)
/wsdl/backup	index.php	172	(data.timestdata.tamp BETWEEN ? AND ?)
/classes/db/	DasenseSelect.php	120	(roundedlat < ' . \$ne_lat.' AND roundedlat > ' . \$sw_lat.')
/classes/db/	DasenseSelect.php	121	(roundedlon > ' . \$sw_lng.' AND roundedlon < ' . \$ne_lng.')
/	markers.php	32	AND data.datatypeID = ""'. \$type.'"
/	markers.php	59	AND data.datatypeID = ""'. \$type.'"
/	markers.php	77	AND data.datatypeID = ""'. \$type.'"
			AND data.datatypeID = ""'. \$type.'"" AND (locations.longitude > '\$_GET['swlng']'.)' AND locations.longitude < '\$_GET['nelng']'.)' AND (locations.latitude < '\$_GET['nelat']'.)' AND
/	markers.php	22-24	locations.latitude > '\$_GET['swlat']'.')
/tools	csv-export.php	18	AND nodeID = "" . \$_REQUEST["nodeID"]' . ""
/	markers.php	67-76	avg(data.value * data.samples) / avg(data.samples) + nodes.calibration AS value, data.nodeID AS nid, data.samples AS smpl, datatypes.displayname AS type, datatypes.measure AS meas, locations.provider AS prov, locations.accuracy AS acc, locations.altitude AS alt, locations.longitude AS lng, locations.latitude AS lat
/	markers.php	36-37	avg(data.value * data.samples) / avg(data.samples) + nodes.calibration AS value, FROM_UNIXTIME(LEFT(TIMESTAMP, LENGTH(data.timestamp) -3)) AS unixtimestamp
/	markers.php	45-46	avg(data.value * data.samples) / avg(data.samples) + nodes.calibration AS value, FROM_UNIXTIME(LEFT(TIMESTAMP, LENGTH(data.timestamp) -3)) AS unixtimestamp
/	markers.php	54-55	avg(data.value * data.samples) / avg(data.samples) + nodes.calibration AS value, FROM_UNIXTIME(LEFT(TIMESTAMP, LENGTH(data.timestamp) -3)) AS unixtimestamp
/	markers.php	17-21	avg(data.value * data.samples) / avg(data.samples) + nodes.calibration AS value, locations.longitude AS lng, locations.latitude AS lat, datatypes.min AS min, datatypes.max AS max
/classes	DBSCANHandler.php	149	CALL geodist("'. \$p." , "'. \$this->eps.")
/classes	DBSCANHandler2.php	171	CALL geodist("'. \$p." , "'. \$this->eps.")
/classes/db/	DBSCANHandler.php	145	CALL geodist("'. \$p." , "'. \$this->eps.")
/classes/db/	DBSCANHandler2.php	182	CALL geodist("'. \$p." , "'. \$this->eps.")
/classes/db/	DBSCANHandler3.php	166	CALL geodist("'. \$p." , "'. \$this->eps.")
/classes/db/	DBSCANHandlerRecursive.php	151	CALL geodist("'. \$p." , "'. \$this->eps.")
/classes/db/	ArgumentController.php	291	CALL geodist2("'. \$r['data.locationID']'. " , "'. \$lon1." , "'. \$lon2." , "'. \$lat1." , "'. \$lat2.");
/classes/db/	ArgumentController.php	292	CALL geodist2("'. \$r['data.locationID']'. " , "'. \$r['locations.longitude']'. " , "'. \$r['locations.latitude']'. " , "'. \$r['lon1']'. " , "'. \$r['lon2']'. " , "'. \$r['lat1']'. " , "'. \$r['lat2']'. " , "'. \$eps.");
/classes	DBSCANNodeHandler.php	8	CALL geodistfornode("'. \$p." , "'. \$this->eps.")
/classes	DBSCANNodeHandler2.php	8	CALL geodistfornode("'. \$p." , "'. \$this->eps.")
/classes/db/	DBSCANNodeHandler.php	8	CALL geodistfornode("'. \$p." , "'. \$this->eps.")
/classes/db/	DBSCANNodeHandler2.php	8	CALL geodistfornode("'. \$p." , "'. \$this->eps.")
/classes	DBSCANSquareHandler.php	8	CALL geodistsquare("'. \$p." , "'. \$this->eps.")
/classes/db/	DBSCANSquareHandler.php	8	CALL geodistsquare("'. \$p." , "'. \$this->eps.")
/classes/db/	DBSCANSquareNoExpandHandler.php	8	CALL geodistsquare("'. \$p." , "'. \$this->eps.")
/	markers.php	30-31	data.timestamp AS timestamp, data.datatypeID as type
/	markers.php	63	data.value AS value
/classes/db/	DasenseSelect.php	81	data.visibility = 1 OR (data.originator = " . \$userId." AND data.visibility = 0)
/classes/db/	SQLDelete.php	5	DELETE
/classes/sql	SQLDelete.php	5	DELETE
/templates	admin_data_table.php	454	DELETE FROM "+table+" WHERE "+ columns[0]['name']+" = "+para
/templates	admin_data_table.php	489	DELETE FROM "+table+" WHERE "+ columns[0]['name']+" = "+para
/templates	admin_page_management.php	456	DELETE FROM "+table+" WHERE "+ columns[0]['name']+" = "+para
/templates	admin_page_management.php	491	DELETE FROM "+table+" WHERE "+ columns[0]['name']+" = "+para
/templates	admin_user_management.php	481	DELETE FROM "+table+" WHERE "+ columns[0]['name']+" = "+para
/classes/sql	SQLDelete.php	9	DELETE FROM %s %s;" , \$this->tablesToString(), \$this->filtersToString()
/templates	user_account_management.php	259	DELETE FROM <?php echo \$_SESSION['table']?> WHERE id =
/classes/db/	DasenseSelect.php	69	dist(data.locationID, "'. \$params[0].") AS crazyRange
/classes/db/	SQLQuery.php	144	'FROM '.implode(',','',\$this->tables)
/classes	DasenseSelect.php	65	FROM_UNIXTIME(LEFT(TIMESTAMP, LENGTH(data.timestamp) -3)) AS unixtimestamp
/classes/db/	DasenseSelect.php	65	FROM_UNIXTIME(LEFT(TIMESTAMP, LENGTH(data.timestamp) -3)) AS unixtimestamp
/	markers.php	57-58	GROUP BY (60 /1) * HOUR(unixtimestamp) + FLOOR(MINUTE(unixtimestamp) /1)
/classes/db/	SQLSelect.php	56	GROUP BY '.implode(',','',\$this->groups)
/classes/sql	SQLSelect.php	49	GROUP BY '.implode(',','',\$this->groups)
/	markers.php	39-40	GROUP BY DAY(unixtimestamp), data.datatypeID
/classes/db/	DasenseSelect.php	62	GROUP BY HOUR(unixtimestamp)
/	markers.php	48-49	GROUP BY HOUR(unixtimestamp), data.datatypeID
/	markers.php	26-27	GROUP BY locationID,nodeID

/	markers.php	79-80	GROUP BY locationID,nodeID
/classes/db/	DasenseSelect.php	52	GROUP_CONCAT((data.id SEPARATOR ' ') as 'data.concatids'
/classes	DasenseSelect.php	52	GROUP_CONCAT((data.value + nodes.calibration) SEPARATOR ' ') as 'data.concatvalues'
/classes/db/	SQLSelect.php	63	HAVING '.implode(' ', \$this->operator.' ', \$this->havings)
/classes/sql	SQLSelect.php	56	HAVING '.implode(', ', \$this->havings)
/classes/db/	SQLQuery.php	111	IN ('".implode("", "", \$value)."')
/classes/db/	SQLSelect.php	35	IN ('.implode(', ', \$value).')
/classes/sql	SQLQuery.php	75	IN ('.implode(', ', \$value).')'
/classes/sql	SQLSelect.php	28	IN ('.implode(', ', \$value).')'
/classes/db/	SQLInsert.php	14	INSERT %s (%s) VALUES (%s);", \$this->tablesToString(), \$this->fieldsToString(), \$this->valuesToString()
/classes/sql	SQLInsert.php	10	INSERT %s (%s) VALUES (%s);", \$this->tablesToString(), \$this->fieldsToString(), \$this->valuesToString()
/classes	registrationCommand.php	32	INSERT INTO ".UM_TABLE_MAPPING." VALUES(".\$id.", ".\$right->rights.")
/templates	login_user.php	167	INSERT INTO "+table+" VALUES (null,'" +name.val()+"',md5("'" +password.val()+"'"),'" +email.val()+"'")
/classes	DasenseRegistration.php	151	INSERT INTO \$this->map_table (user, rights) VALUES (?, ?)
/classes/db/	DasenseRegistration.php	152	INSERT INTO \$this->map_table (user, rights) VALUES (?, ?)
/classes/db/account	DasenseRegistration.php	144	INSERT INTO \$this->map_table (user, rights) VALUES (?, ?)
/classes/db/account	DasenseRegistrationStudy.php	133	INSERT INTO \$this->user_details_table (userId, gender, age,occupational_field,job,technical_skills,raw_addressId) VALUES (?, ?, ?, ?, ?, ?)
/classes	DasenseRegistration.php	141	INSERT INTO \$this->user_table (username, password, email) VALUES (?, ?, ?)
/classes/db/	DasenseRegistration.php	142	INSERT INTO \$this->user_table (username, password, email) VALUES (?, ?, ?)
/classes/db/account	DasenseRegistration.php	134	INSERT INTO \$this->user_table (username, password, email) VALUES (?, ?, ?)
/templates	admin_page_management.php	237	INSERT INTO '+table+' VALUES ('+values.substring(0,values.length-1)+');
/templates	admin_user_management.php	249	INSERT INTO '+table+' VALUES ('+values.substring(0,values.length-1)+');
/templates	user_data_table.php	291	INSERT INTO '+table+' VALUES ('+values.substring(0,values.length-1)+');
/classes/json	JsonParserOO.php	212	INSERT INTO data (`nodeID`, `datatypeID`, `locationID`, `value`, `originator`, `visibility`, `timestamp`, `samples`) VALUES (?, ?, ?, ?, ?, ?)
/	JsonParser.php	216	INSERT INTO data (`nodeID`, `datatypeID`, `locationID`, `value`, `timestamp`, `samples`) VALUES (?, ?, ?, ?, ?)
/classes/db/	JsonParserOO.php	233	INSERT INTO data (`nodeID`, `datatypeID`, `locationID`, `value`, `visibility`, `timestamp`, `samples`, `serieID`) VALUES (?, ?, ?, ?, ?, ?)
/tools	generator.php	39	INSERT INTO data (nodeID, datatypeID, locationID, value, description, timestamp, samples) VALUES (?, ?, ?, ?, ?, 1)
/wsdl	index.php	360	INSERT INTO data (nodeID, datatypeID, locationID, value, timestamp, samples) VALUES (?, ?, ?, ?, ?)
/wsdl/backup	index.php	326	INSERT INTO data (nodeID, datatypeID, locationID, value, timestamp, samples) VALUES (?, ?, ?, ?, ?)
/	JsonParser.php	150	INSERT INTO datatypes (`ID`, `displayname`, `measure`, `description`) VALUES ('leq', 'Lautstärke', 'dB', 'Messungen der Smartphones')
/classes/json	JsonParserOO.php	146	INSERT INTO datatypes (`ID`, `displayname`, `measure`, `description`) VALUES ('leq', 'Lautstärke', 'dB', 'Messungen der Smartphones')
/classes/db/	JsonParserOO.php	171	INSERT INTO datatypes (`ID`, `displayname`, `measure`, `description`) VALUES ('leq', 'Lautst&rdia;rke', 'dB', 'Messungen der Smartphones')
/	JsonParser.php	213	INSERT INTO locations (`longitude`, `latitude`, `altitude`, `accuracy`, `provider`) VALUES (?, ?, ?, ?, ?)
/classes/db/	JsonParserOO.php	230	INSERT INTO locations (`longitude`, `latitude`, `altitude`, `accuracy`, `provider`) VALUES (?, ?, ?, ?, ?)
/classes/json	JsonParserOO.php	209	INSERT INTO locations (`longitude`, `latitude`, `altitude`, `accuracy`, `provider`) VALUES (?, ?, ?, ?, ?)
/tools	generator.php	36	INSERT INTO locations (longitude, latitude, altitude, accuracy) VALUES (?, ?, 150, 10)
/wsdl	index.php	350	INSERT INTO locations (longitude, latitude, altitude, accuracy, provider) VALUES (?, ?, ?, ?, ?)
/wsdl/backup	index.php	316	INSERT INTO locations (longitude, latitude, altitude, accuracy, provider) VALUES (?, ?, ?, ?, ?)
/	JsonParser.php	164	INSERT INTO nodes (`ID`, `type`, `description`, `calibration`) VALUES (?, 'smartphone', ?, ?)
/classes/db/	JsonParserOO.php	185	INSERT INTO nodes (`ID`, `type`, `description`, `calibration`) VALUES (?, 'smartphone', ?, ?)
/classes/json	JsonParserOO.php	160	INSERT INTO nodes (`ID`, `type`, `description`, `calibration`) VALUES (?, 'smartphone', ?, ?)
/wsdl	index.php	320	INSERT INTO nodes (ID, type, description) VALUES (?, ?, ?)
/wsdl/backup	index.php	286	INSERT INTO nodes (ID, type, description) VALUES (?, ?, ?)
/tools	generator.php	23	INSERT INTO nodes (ID, type, description) VALUES (?, 'DUMMY', ?)
/classes/db/	Logger.php	102	INSERT INTO protocol (userId,nodeId,event,timestamp) VALUES (?, ?, ?)
/	JsonParser.php	214	INSERT INTO rawdata (`nodeID`, `datatypeID`, `locationID`, `value`, `timestamp`, `samples`) VALUES (?, ?, ?, ?, ?)
/classes/db/	JsonParserOO.php	231	INSERT INTO rawdata (`nodeID`, `datatypeID`, `locationID`, `value`, `timestamp`, `samples`) VALUES (?, ?, ?, ?, ?)
/classes/json	JsonParserOO.php	210	INSERT INTO rawdata (`nodeID`, `datatypeID`, `locationID`, `value`, `timestamp`, `samples`) VALUES (?, ?, ?, ?, ?)
/classes/db/	JsonParserOO.php	251	INSERT INTO series (`name`, `originator`, `uid`) VALUES (?, ?, ?)
/classes	getData.php	83	LIMIT \$pageStart, \$rp
/classes/db/	SQLSelect.php	77	LIMIT '.\$this->limit[0]
/classes/sql	SQLSelect.php	70	LIMIT '.\$this->limit[0]
/classes/db/	SQLSelect.php	79	LIMIT '.\$this->limit[0].','.\$this->limit[1]
/classes/sql	SQLSelect.php	72	LIMIT '.\$this->limit[0].','.\$this->limit[1]
/classes/db/	DasenseSelect.php	75	locations.latitude-(".\$params[0]."/111) as lat1,
/classes/db/	DasenseSelect.php	76	locations.latitude+(".\$params[0]."/111) as lat2
/classes/db/	DasenseSelect.php	106	locations.longitude between ".\$lon1." and ".\$lon2." and locations.latitude between ".\$lat1." and ".\$lat2
/classes/db/	DasenseSelect.php	73	locations.longitude-".\$params[0]."/abs(cos(radians(locations.latitude))*111) as lon1,
/classes/db/	DasenseSelect.php	74	locations.longitude+".\$params[0]."/abs(cos(radians(locations.latitude))*111) as lon2,
/classes	getData.php	55	ORDER BY \$sortname \$sortorder
/classes/db/	SQLSelect.php	70	ORDER BY '.implode(', ', \$this->order).' '.\$this->ordering
/classes/sql	SQLSelect.php	63	ORDER BY '.implode(', ', \$this->order).' '.\$this->ordering
/tools	csv-export.php	20	ORDER BY data.ID ASC
/classes	DasenseSelect.php	55	ROUND(locations.latitude * ".\$mult_lat.", ".\$round.") / ".\$mult_lat." AS roundedlat, ROUND(locations.longitude * ".\$mult_lon.", ".\$round.") / ".\$mult_lon." AS roundedlon
/classes/db/	DasenseSelect.php	55	ROUND(locations.latitude * ".\$mult_lat.", ".\$round.") / ".\$mult_lat." AS roundedlat, ROUND(locations.longitude * ".\$mult_lon.", ".\$round.") / ".\$mult_lon." AS roundedlon
/classes/db/	SQLSelect.php	88	SELECT
/classes/sql	SQLSelect.php	81	SELECT
/classes/db/	ArgumentController.php	290	SELECT ".\$sr['data.locationID'].", locations.ID FROM locations WHERE locations.longitude BETWEEN ".\$lon1." AND ".\$lon2." AND locations.latitude BETWEEN ".\$lat1." AND ".\$lat2.";
/classes	registrationCommand.php	23	SELECT * FROM ".\$_SESSION['table']." WHERE id = ".\$id
/classes	SecuredCheck.php	112	SELECT * FROM ".UM_TABLE_MAPPING." map WHERE (map.user = ".\$intval(\$userID).") AND (map.rights = ".\$intval(\$neededRight).")
/classes	getData.php	86	SELECT * FROM \$table

/classes	getData.php	94 SELECT * FROM \$table \$where_clause1 \$sortSql \$limitSql
/classes	getCSV.php	19 SELECT * FROM '._\$_SESSION['table']
/templates	user_account_management.php	54 'SELECT * FROM '._\$_SESSION['table']. ' WHERE id = '._\$_SESSION['user']->id
/templates	create_app.php	40 'SELECT * FROM apps WHERE userid = '._\$userid
/classes	Data.php	14 SELECT * FROM data
/classes/db/	ArgumentController.php	77 SELECT * FROM data,datatypes,nodes,locations,series WHERE 0
/templates	geopoint.php	5 SELECT * FROM datatypes WHERE ID="". \$this->_["datatype"]. "" LIMIT 1
/templates	location.php	5 SELECT * FROM locations WHERE ID="". \$this->_["lid"]. ""
/templates	sensor.php	5 SELECT * FROM nodes WHERE ID="". \$this->_["nid"]. ""
		SELECT '._\$select.' FROM locations, data, datatypes, nodes WHERE data.timestamp >= '._\$from.' AND data.timestamp <= '._\$to.' '._\$where.' AND locations.ID = data.locationID AND
/	markers.php	83-94 datatypes.ID = data.datatypeID AND nodes.ID = data.nodeID '._\$groupby
/templates	oauth_verify.php	32 'SELECT callback_url, verifier FROM tokens WHERE token = "" . \$_GET['oauth_token'] . ""
/classes/db/analysis	SerieDetails.php	48 SELECT count(*) FROM ".self::table_data." d WHERE d.seriesId = ?
/classes	getData.php	77 SELECT count(*) FROM \$table \$where_clause1
/classes	DasenseLogin.php	108 SELECT COUNT(*) FROM \$this->table WHERE username = ?
/classes/db/	DasenseLogin.php	108 SELECT COUNT(*) FROM \$this->table WHERE username = ?
/classes/db/account	DasenseLogin.php	152 SELECT COUNT(*) FROM \$this->table WHERE username = ?
/classes	DasenseRegistration.php	125 SELECT COUNT(*) FROM \$this->user_table WHERE username = ?
/classes/db/	DasenseRegistration.php	126 SELECT COUNT(*) FROM \$this->user_table WHERE username = ?
/classes/db/account	DasenseRegistration.php	118 SELECT COUNT(*) FROM \$this->user_table WHERE username = ?
/tools	generator.php	11 SELECT count(*) FROM nodes WHERE nodes.ID = ?
/wsdl	index.php	309 SELECT count(*) FROM nodes WHERE nodes.ID = ?
/wsdl/backup	index.php	275 SELECT count(*) FROM nodes WHERE nodes.ID = ?
		SELECT count(*)
		FROM user
		JOIN mapping_user_right ON (user.ID = mapping_user_right.user)
		JOIN rights ON (mapping_user_right.rights = rights.ID)
		WHERE user.username = ?
		AND user.password = ?
/wsdl	index.php	35 AND rights.name = ?
/	show.php	33 SELECT data.ID, nodeID, timestamp, value, samples, longitude, latitude, altitude, accuracy, provider FROM data, locations WHERE locationID = locations.ID ORDER BY data.ID
		SELECT data.ID, nodeID, timestamp, value, samples, longitude, latitude, altitude, accuracy, provider "
		"FROM data, locations "
/tools	csv-export.php	12 "WHERE locationID = locations.ID
/	markers.php	116-124 SELECT data.value AS value, data.timestamp AS timestamp FROM data, datatypes WHERE datatypes.ID = data.datatypeID ORDER BY data.timestamp ASC
/	JsonParser.php	146 SELECT ID FROM datatypes WHERE ID = 'leq'
/classes/db/	JsonParserOO.php	167 SELECT ID FROM datatypes WHERE ID = 'leq'
/classes/json	JsonParserOO.php	142 SELECT ID FROM datatypes WHERE ID = 'leq'
/wsdl	index.php	339 SELECT ID FROM locations WHERE longitude = ? AND latitude = ? AND altitude = ?
/wsdl/backup	index.php	305 SELECT ID FROM locations WHERE longitude = ? AND latitude = ? AND altitude = ?
/	JsonParser.php	212 SELECT ID FROM locations WHERE longitude = ? AND latitude = ? AND altitude = ? AND provider = ?
/classes/db/	JsonParserOO.php	229 SELECT ID FROM locations WHERE longitude = ? AND latitude = ? AND altitude = ? AND provider = ?
/classes/json	JsonParserOO.php	208 SELECT ID FROM locations WHERE longitude = ? AND latitude = ? AND altitude = ? AND provider = ?
/tools	generator.php	33 SELECT ID FROM locations WHERE longitude = ? AND latitude = ? AND altitude = 150
/	JsonParser.php	158 SELECT ID FROM nodes WHERE ID = ?
/classes/db/	JsonParserOO.php	179 SELECT ID FROM nodes WHERE ID = ?
/classes/json	JsonParserOO.php	154 SELECT ID FROM nodes WHERE ID = ?
/classes/db/	JsonParserOO.php	244 SELECT id FROM series WHERE uid = ? AND originator = ?
/classes/db/analysis	AddressHelper.php	51 SELECT id, city FROM ".self::table_data." d WHERE d.zip = ? ORDER BY d.city ASC
/wsdl	index.php	414 SELECT ID, displayname, measure, description FROM datatypes
/wsdl/backup	index.php	375 SELECT ID, displayname, measure, description FROM datatypes
/wsdl	index.php	385 SELECT ID, type, description FROM nodes
/wsdl/backup	index.php	349 SELECT ID, type, description FROM nodes
/wsdl	index.php	387 SELECT ID, type, description FROM nodes WHERE type = ?
/wsdl/backup	index.php	351 SELECT ID, type, description FROM nodes WHERE type = ?
/classes	DasenseLogin.php	84 SELECT id, username, email FROM \$this->table WHERE username = ? AND password = ?
/classes/db/	DasenseLogin.php	84 SELECT id, username, email FROM \$this->table WHERE username = ? AND password = ?
/classes/db/account	DasenseLogin.php	96 SELECT id, username, email FROM \$this->table WHERE username = ? AND password = ?
/	JsonParser.php	215 SELECT ID, value, samples FROM data WHERE nodeID = ? AND locationID = ? AND samples <= ? AND (timestamp BETWEEN ? AND ?) AND (value BETWEEN ? AND ?)
/classes/db/	JsonParserOO.php	232 SELECT ID, value, samples FROM data WHERE nodeID = ? AND locationID = ? AND samples <= ? AND (timestamp BETWEEN ? AND ?) AND (value BETWEEN ? AND ?)
/classes/json	JsonParserOO.php	211 SELECT ID, value, samples FROM data WHERE nodeID = ? AND locationID = ? AND samples <= ? AND (timestamp BETWEEN ? AND ?) AND (value BETWEEN ? AND ?)
/templates	dasense.php	4 SELECT ID,description FROM nodes
/templates	map.php	4 SELECT ID,description FROM nodes
		SELECT l.id, d.timestamp, l.longitude, l.latitude, l.accuracy "
		"FROM ".self::table_data." d, ".self::table_location." l "
/classes/db/analysis	SerieDetails.php	119 "WHERE d.seriesId = ? AND d.locationID = l.ID ORDER BY d.timestamp \$order LIMIT 1
		SELECT l.longitude, l.latitude "
		"FROM ".self::table_data." d, ".self::table_location." l "
/classes/db/analysis	SerieDetails.php	157 "WHERE d.seriesId = ? AND d.locationID = l.ID ORDER BY d.timestamp ASC
		SELECT l.provider, l.accuracy "
		"FROM ".self::table_data." d, ".self::table_location." l "
/classes/db/analysis	SerieDetails.php	190 "WHERE d.seriesId = ? AND d.locationID = l.ID
/classes	DataItem.php	25 SELECT locations.lat, locations.long, locations.altitude FROM locations, data WHERE locations.ID = ". \$this->ID." AND locations.ID = data.locationID
/classes/db/	DasenseSelect.php	100 SELECT max(l.latitude) FROM locations l WHERE l.ID = "._\$p."

/classes/db/	DasenseSelect.php	99 SELECT max(l.latitude) FROM locations l WHERE l.ID = ".\$p.")
/classes/db/	DasenseSelect.php	100 SELECT max(l.longitude) FROM locations l WHERE l.ID = ".\$p." SELECT MIN(d.value + n.calibration),AVG(d.value + n.calibration),MAX(d.value + n.calibration) ". "FROM ".self::table_data." d, ".self::table_node." n ".
/classes/db/analysis	SerieDetails.php	74 "WHERE d.seriesId = ? AND d.nodeID = n.ID
/	markers.php	156 SELECT min,max,measure FROM datatypes WHERE ID = "".\$type." SELECT n.id, n.description, dt.id, dt.displayname, dt.measure ". "FROM ".self::table_data." d, ".self::table_node." n, ".self::table_datatypes." dt ".
/classes/db/analysis	SerieDetails.php	236 "WHERE d.seriesId = ? AND d.nodeID = n.ID AND d.datatypeID = dt.ID LIMIT 1
/templates	oauth_verify.php	51 'SELECT name FROM apps LEFT JOIN tokens ON apps.id = tokens.appId WHERE tokens.token = "" . \$_GET['oauth_token'] . ""' SELECT n.id as nodeId, n.type, n.description, ". "data.datatypeID, data.value, data.timestamp, data.samples, ". "locations.longitude, locations.latitude, locations.altitude, locations.accuracy, locations.provider ". "FROM nodes ". "LEFT JOIN data ON (nodes.ID = data.nodeID) ".
/wsdl	index.php	171 "LEFT JOIN locations ON (data.locationID = locations.ID) SELECT n.id as nodeId, n.type, n.description, ". "data.datatypeID, data.value, data.timestamp, data.samples, ". "locations.longitude, locations.latitude, locations.altitude, locations.accuracy, locations.provider ". "FROM nodes ". "LEFT JOIN data ON (nodes.ID = data.nodeID) ".
/wsdl	index.php	268 "LEFT JOIN locations ON (data.locationID = locations.ID) WHERE nodes.ID = ?" SELECT n.id as nodeId, n.type, n.description, ". "data.datatypeID, data.value, data.timestamp, data.samples, ". "locations.longitude, locations.latitude, locations.altitude, locations.accuracy, locations.provider ". "FROM nodes ". "LEFT JOIN data ON (nodes.ID = data.nodeID) ".
/wsdl/backup	index.php	141 "LEFT JOIN locations ON (data.locationID = locations.ID) SELECT n.id as nodeId, n.type, n.description, ". "data.datatypeID, data.value, data.timestamp, data.samples, data.description, ". "locations.longitude, locations.latitude, locations.altitude, locations.accuracy, locations.provider ". "FROM nodes ". "LEFT JOIN data ON (nodes.ID = data.nodeID) ".
/wsdl/backup	index.php	235 "LEFT JOIN locations ON (data.locationID = locations.ID) WHERE nodes.ID = ? SELECT page.rights FROM ".UM_TABLE_SECURED_PAGES ." page WHERE (module = ""mysql_real_escape_string(\$module)."") AND (action =
/classes	SecuredCheck.php	30-31 ""mysql_real_escape_string(\$action)."")
/classes	registrationCommand.php	28 SELECT rights FROM ".UM_TABLE_SECURED_PAGES." WHERE module=""\$_POST['module']."" AND action=""\$_POST['action']."" SELECT user.id, user.username FROM ".UM_TABLE_USERS." user WHERE (user.username = ""mysql_real_escape_string(\$username)."") AND (user.password =
/classes	SecuredCheck.php	70-71 ""md5(\$password)."")
/classes	SecuredCheck.php	80 SELECT user.id, user.username FROM ".UM_TABLE_USERS." user WHERE (user.username like ""mysql_real_escape_string(\$username)."")
/templates	admin_user_management.php	54 'SHOW COLUMNS FROM '.\$_SESSION['table']
/templates	admin_data_table.php	50 SHOW COLUMNS FROM '.\$_arr[0]
/templates	user_data_table.php	99 'SHOW COLUMNS FROM '.\$_arr[0]
/templates	admin_page_management.php	51 'SHOW COLUMNS FROM '.\$_arr[0];
/	show.php	26 TRUNCATE `data`; TRUNCATE `datatypes`; TRUNCATE `locations`; TRUNCATE `nodes`
/classes/db/	SQLUpdate.php	20 UPDATE %s SET %s %s;" , \$this->tablesToString(), \$this->fieldsToString(), \$this->filtersToString()
/classes/sql	SQLUpdate.php	13 UPDATE %s SET %s %s;" , \$this->tablesToString(), \$this->fieldsToString(), \$this->filtersToString()
/templates	admin_user_management.php	412 UPDATE '+table+' SET '+val.substring(0,val.length-1)+' WHERE '+getCondition(primaryKey)+';
/templates	user_data_table.php	435 UPDATE '+table+' SET '+val.substring(0,val.length-1)+' WHERE '+getCondition(primaryKey)+';
/templates	admin_data_table.php	386 UPDATE '+table+' SET '+val.substring(0,val.length-1)+' WHERE '+getCondition(primaryKey)+';
/templates	admin_page_management.php	387 UPDATE '+table+' SET '+val.substring(0,val.length-1)+' WHERE '+getCondition(primaryKey)+';
/templates	user_account_management.php	206 'UPDATE '+table+' SET '+val.substring(0,val.length-2)+' WHERE id = '+userData['id']
/templates	user_data_table.php	635 UPDATE '+table+' SET visibility = \''+(((\$_:radio:checked').attr('id') == 'radio1')?1:0)+'\' WHERE id = \''+id+'\';
/templates	user_data_table.php	671 UPDATE '+table+' SET visibility = \''+((recall)?0:1)+'\' WHERE originator = '+userID+';
/	JsonParser.php	217 UPDATE data SET value = ?, timestamp = ?, samples = ? WHERE ID = ?
/classes/db/	JsonParserOO.php	234 UPDATE data SET value = ?, timestamp = ?, samples = ? WHERE ID = ?
/classes/json	JsonParserOO.php	213 UPDATE data SET value = ?, timestamp = ?, samples = ? WHERE ID = ?
/	JsonParser.php	187 UPDATE nodes SET calibration = ? WHERE ID = ?
/classes/db/	JsonParserOO.php	208 UPDATE nodes SET calibration = ? WHERE ID = ?
/classes/json	JsonParserOO.php	183 UPDATE nodes SET calibration = ? WHERE ID = ?
/	JsonParser.php	180 UPDATE nodes SET calibration = ?, description = ? WHERE ID = ?
/classes/db/	JsonParserOO.php	201 UPDATE nodes SET calibration = ?, description = ? WHERE ID = ?
/classes/json	JsonParserOO.php	176 UPDATE nodes SET calibration = ?, description = ? WHERE ID = ?
/	JsonParser.php	194 UPDATE nodes SET description = ? WHERE ID = ?
/classes/db/	JsonParserOO.php	215 UPDATE nodes SET description = ? WHERE ID = ?
/classes/json	JsonParserOO.php	190 UPDATE nodes SET description = ? WHERE ID = ?
/templates	oauth_verify.php	26 'UPDATE tokens SET verifier = "" . DaSenseOAuthProvider::generateVerifier() . "" , userId = ' . \$userId
/wsdl	index.php	223 WHERE (" .join(" AND " ,\$_arrWhere_stmts).")
/wsdl/backup	index.php	193 WHERE (" .join(" AND " ,\$_arrWhere_stmts).") WHERE ((\$flagPublic == 1)?"visibility = 1":"") ((\$flagPublic == 1 && \$flagPrivate == 1)?" OR ":"") ((\$flagPrivate == 1)?"(visibility = 0 AND originator = \$userID)": "") (\$qtype != " &&
/classes	getData.php	60-65 \$query != "") ? " AND \$qtype = '\$query'" : ""
/classes/sql	SQLQuery.php	112 WHERE '.implode(' '.\$this->operator.' ' , \$this->filters)
/classes/db/	SQLQuery.php	151 'WHERE '.implode(' '.\$this->operator.' ' , \$this->filters) WHERE originator = \$userID" ((\$flagPublic == 1 && \$flagPrivate == 0)?" AND visibility = 1":"") ((\$flagPublic == 0 && \$flagPrivate == 1)?" AND visibility = 0":"") (\$qtype != " &&
/classes	getData.php	67-71 \$query != "") ? " AND \$qtype = '\$query'" : ""
/	markers.php	33
/	markers.php	41
/	markers.php	50